Goldstone Cements Limited CIN:U26940ML2007PLC008298



No: GSCL/EHS/2025-26/117

Dated: 07.04.2025

To,
The Member Secretary,
Meghalaya State Pollution Control Board,
Arden, Lumpyngngad,
Shillong, Meghalaya - 793014

Sub: Submission of Monthly Environmental Monitoring Reports of the Umtyra Mines

Dear Sir,

With reference to the above subject, we are herewith submitting monthly environmental monitoring reports for the month of March- 2025.

We request you to acknowledge the receipt.

Moosiang

Thanking You,

Yours faithfully.

For Goldstone Cements Limited

Authorized Signatory

Encl: As above





E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/GSCL/24-25/AA-03/02 Order No.: FFE/7500005406

Date : 07/04/2025 Date : 20/06/2024

Report Issued To: GOLDSTONE CEMENTS LIMITED

Village- Musiang Lamare (Old), P. O.:- Khliehriat, Meghalaya- 793200

AMBIENT AIR QUALITY TEST RESULTS

Sl. No.	LOCATION(S)↓	Date of Sampling	PM 2.5 (μg/m³)	PM 10 (μg/m³)	SO ₂ (μg/m³)	NO ₂ (μg/m³)
	LIMIT(S) →		60	100	80	80
01	Near Umtyra Mines Office	23.03.2025	48.2	86.1	6.3	7.8
02	Nearby Pillar 7	23.03.2025	53.6	90.3	7.2	8.4
03	Nearby Pillar 31B	23.03.2025	57.9	93.2	7.6	8.8
04	Nearby Pillar 20	23.03.2025	55.4	88.2	7.9	9.1

Analysis Protocol: IS 5182



Checked By: Mr. Pankaj Baroi, ENVIROCON

- 2. Results refer only to the particular parameters tested.
- $3.\ This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.$



ISO 9001:2015 Certified ISO 45001:2018 Certified

E-mail: envirocon@rediffmail.com

Report No.: ENV/GSCL/24-25/N-03/02 Order No.: FFE/7500005406

Date : 07/04/2025 Date : 20/06/2024

Report Issued To: GOLDSTONE CEMENTS LIMITED

Village- Musiang Lamare (Old), P. O.:- Khliehriat, Meghalaya- 793200

NOISE LEVEL MEASUREMENT RESULTS

Sl. No.	Location(s)	Date	Day time		Night Time	
		Of Measurement	L _{eq} (dB-A)	Limit (dB-A)	L _{eq} (dB-A)	Limit (dB-A)
1	Near Umtyra Mines Office	23.03.2025	62.8	75	52.6	70
2	Near Umtyra Mines unloading Point	23.03.2025	64.3	75	55.2	70
3	Near Umtyra Mines Loading Point	23.03.2025	66.1	75	61.6	70
4	Near Umtyra Mines Haul Road	23.03.2025	68.4	75	62.8	70

 $\underline{\textbf{Note}}\text{: The results reported above are the instantaneous recorded data of sound level.}$



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

- 2. Results refer only to the particular parameters tested.
- $3.\ This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.$

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs

Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.



ISO 9001:2015 Certified ISO 45001:2018 Certified

Pollution Control Board, Assam E-mail: envirocon@rediffmail.com

Report No.: ENV/GSCL/24-25/N-03/02 Order No.: FFE/7500005406

Date : 07/04/2025 Date : 20/06/2024

Report Issued To: GOLDSTONE CEMENTS LIMITED

Village- Musiang Lamare (Old), P. O.:- Khliehriat, Meghalaya- 793200

FUGITIVE EMISSION TEST RESULTS

Sl. No.	Location	Date of Sampling	SPM (μg/m³)	Limit (μg/m³)
1.	Near Loading Area Umtyra Mines	23.03.2025	1791	5000

Analysis Protocol: IS 5182



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

- $2. \ Results \ refer \ only \ to \ the \ particular \ parameters \ tested.$
- $3.\ This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.$

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs

Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.



E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Order No.: FFE/7500005406

: 20/06/2024

Date

Report No.: ENV/GSCL/24-25/SW-03/03

Date : 07/04/2025

Report Issued To:

GOLDSTONE CEMENTS LIMITED

Village- Musiang Lamare (Old), P. O.:- Khliehriat, Meghalaya- 793200

SURFACE WATER ANALYSIS RESULTS

Sample Ref. No.: GSCL/2025/SW-2303/03 Sample Source: Mines Nala Upstream Sample Type: Surface Water

Collected On : 23-03-2025 Received On : 27-03-2025 Collected By : Envirocon Representative

Sl. No.	Parameters	Results	Limits (IS 10500:2012)
1.	Colour, Hazen Units, Max.	18	5
2.	Odour	Agreeable	Agreeable
3.	Temperature	25.6	
4.	pH Value	6.76	6.5 - 8.5
5.	Suspended Solids	31	
6.	Total Dissolved Solids, mg/l, Max.	136	500
7.	Conductivity, µS/cm	229	
8.	Dissolved Oxygen, mg/l, Min.	6.5	
9.	Biochemical Oxygen Demand, mg/l, Max.	6	
10.	Chemical Oxygen Demand, mg/l, Max.	48	
11.	Oil and Grease, mg/l, Max.	<4.0	
12.	Residual Chlorine, mg/l, Min.	<0.01	0.2
13.	Total Hardness (as CaCO ₃), mg/l, Max.	19	200
14.	Calcium (as Ca), mg/l, Max.	32	75
15.	Magnesium (as Mg), mg/l, Max.	<1	30
16.	Iron (as Fe), mg/l, Max.	0.083	0.3
17.	Ammonical Nitrogen (as N), mg/l, Max.	6.1	
18.	Total Kjeldahl Nitrogen (as NH3), mg/l, Max.	37	
19.	Free Ammonia (as NH ₃), mg/l, Max.	<0.01	

Analysis Protocol: IS 3025



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

 $3.\ This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi - 786171, Assam.$



E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/GSCL/24-25/SW-03/04

Date : 07/04/2025

Order No.: FFE/7500005406 Date : 20/06/2024

Report Issued To: GOLDSTONE CEMENTS LIMITED

Village- Musiang Lamare (Old), P. O.:- Khliehriat, Meghalaya- 793200

SURFACE WATER ANALYSIS RESULTS

Sample Ref. No.: GSCL/2025/SW-2303/04 Sample Source: Mines Nala Downstream Sample Type: Surface Water

Collected On : 23-03-2025 Received On : 27-03-2025 Collected By : Envirocon Representative

Sl. No.	Parameters	Results	Limits (IS 10500:2012)
1.	Colour, Hazen Units, Max.	14	5
2.	Odour	Agreeable	Agreeable
3.	Temperature	25.6	
4.	pH Value	6.72	6.5 - 8.5
5.	Suspended Solids	39	
6.	Total Dissolved Solids, mg/l, Max.	141	500
7.	Conductivity, µS/cm	238	
8.	Dissolved Oxygen, mg/l, Min.	6.2	
9.	Biochemical Oxygen Demand, mg/l, Max.	8	
10.	Chemical Oxygen Demand, mg/l, Max.	53	
11.	Oil and Grease, mg/l, Max.	<4.0	
12.	Residual Chlorine, mg/l, Min.	< 0.01	0.2
13.	Total Hardness (as CaCO ₃), mg/l, Max.	22	200
14.	Calcium (as Ca), mg/l, Max.	35	75
15.	Magnesium (as Mg), mg/l, Max.	<1	30
16.	Iron (as Fe), mg/l, Max.	0.091	0.3
17.	Ammonical Nitrogen (as N), mg/l, Max.	6.9	
18.	Total Kjeldahl Nitrogen (as NH3), mg/l, Max.	39	
19.	Free Ammonia (as NH ₃), mg/l, Max.	< 0.01	

Analysis Protocol: IS 3025



Checked By: Mr. Pankaj Baroi, ENVIROCON

- $2. \ Results \ refer \ only \ to \ the \ particular \ parameters \ tested.$
- $3.\ This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.$



E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Order No.: FFE/7500005406

Report No.: ENV/GSCL/24-25/DW-03/02

Date : 07/04/2025

Date : 20/06/2024

Report Issued To: GOLDSTONE CEMENTS LIMITED

Village- Musiang Lamare (Old), P. O.:- Khliehriat, Meghalaya- 793200

DRINKING WATER ANALYSIS RESULTS

Sample Ref. No.: GSCL/2025/DW-2303/02 Sample Source: Mines Office Sample Type: Drinking Water

Collected On : 23-03-2025 Received On : 27-03-2025 Collected By : Envirocon Representative

Sl. No.	Parameters	Results	Acceptable Limit*	Permissible Limit* in the Absence of Alternate Source
1.	Colour , Hazen Units, Max	1	5	15
2.	Odour	Odourless	Agreeable	Agreeable
3.	Taste	Acceptable	Agreeable	Agreeable
4.	Turbidity, NTU, Max	0.05	1	5
5.	рН	6.86	6.5 - 8.5	No Relaxation
6.	Total Dissolved Solids, mg/l, Max	63	500	2000
7.	Aluminium (as Al), mg/l, Max.	< 0.001	0.03	0.2
8.	Boron (as B), mg/l, Max.	< 0.001	0.5	1.0
9.	Calcium (as Ca), mg/l, Max	12	75	200
10.	Chloride (as Cl), mg/l, Max	3.5	250	1000
11.	Copper (as Cu), mg/l, Max	< 0.001	0.05	1.5
12.	Fluorides (as F), mg/l, Max	<0.1	1.0	1.5
13.	Free Residual Chlorine, mg/l, Min	<0.01	0.2	1
14.	Iron (as Fe), mg/l, Max	0.04	0.3	No Relaxation
15.	Magnesium (as Mg), mg/l, Max	2	30	100
16.	Manganese (as Mn), mg/l, Max	< 0.001	0.1	0.3
17.	Zinc (as Zn), mg/l, Max	<0.01	5.0	15
18.	Nitrate (as NO ₃), mg/l, Max	<0.1	45	No Relaxation
19.	Sulfate (as SO ₄), mg/l, Max	<1.0	200	400
20.	Phenolic Compounds (as C ₆ H ₅ OH), mg/l, Max.	<0.001	0.001	0.002
				Continued

^{*}Limits as per IS 10500:2012 Analysis Protocol: IS 3025



Checked By: Mr. Pankaj Baroi, ENVIROCON

- 2. Results refer only to the particular parameters tested.
- $3.\ This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.$



E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Order No.: FFE/7500005406

Report No.: ENV/GSCL/24-25/DW-03/02

Date : 07/04/2025

Date : 20/06/2024

Report Issued To: GOLDSTONE CEMENTS LIMITED

Village- Musiang Lamare (Old), P. O.:- Khliehriat, Meghalaya- 793200

DRINKING WATER ANALYSIS RESULTS

Sample Ref. No.: GSCL/2025/DW-2303/02 Sample Source: Mines Office Sample Type: Drinking Water

Collected On : 23-03-2025 Received On : 27-03-2025 Collected By : Envirocon Representative

Sl. No.	Parameters	Results	Acceptable Limit*	Permissible Limit* in the Absence of Alternate Source
21.	Total Alkalinity(as CaCO ₃), mg/l, Max	42	200	600
22.	Total Hardness, (as CaCO ₃), mg/l, Max	13	200	600
23.	Cadmium (as Cd), mg/l, Max.	< 0.001	0.003	No Relaxation
24.	Cyanide (as CN), mg/l, Max.	< 0.001	0.05	No Relaxation
25.	Lead (as Pb), mg/l, Max.	< 0.001	0.01	No Relaxation
26.	Mercury (as Hg), mg/l, Max.	< 0.001	0.001	No Relaxation
27.	Selenium (as Se), mg/l, Max.	< 0.001	0.01	No Relaxation
28.	Total Chromium, (as Cr), mg/l, Max	< 0.001	0.05	No Relaxation
29.	Anionic Detergents (as MBAS), mg/l	< 0.001	0.2	1.0
30.	Total Arsenic (as As), mg/l, Max	< 0.001	0.01	0.05
31.	Molybdenum (as Mo), mg/l, Max	< 0.001	0.07	No Relaxation
32.	Faecal Coliforms/ 100 ml	Absent	Absent	Absent
33.	E. Coli / 100 ml	Absent	Absent	Absent
				End of Report

^{*}Limits as per IS 10500:2012 Analysis Protocol: IS 3025

Remarks: Drinking water from the above source is fit for drinking.



Checked By: Mr. Pankaj Baroi, ENVIROCON

- 2. Results refer only to the particular parameters tested.
- $3.\ This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.$